

Dry systems forward look

Michel Louge,
virtual IFPRI AGM,
June 21, 2021


Dry systems portfolio

- Indresan Govender (mixing) renewal 2021
- Karen Daniels (dry rheology) until 2022
- Prabhu Nott (screw feeding) until 2023
- Arno Kwade (milling additives) until 2023
- Kit Windows-Yule (round-robin) renewal?
- Csaba Sinka (powder adhesion) delayed


What we learned

screw feeders


Prabhu Nott's group




formal calculations




instrumented experiments



Janssen-like effect



DEM





role of cohesion

What we learned

challenge of fitting non-local rheology to data

Karen Daniels' group



Boundaries are pervasive;
non-local rheology parameters
are **NOT** material properties.

Kamrin, Claudin, et al


Pouliquen, Chevoir, Jop, et al

local

Inertial number I

$$\frac{S}{N} = \mu = f(I; \mu_s) \quad I = \frac{d \times du/dr}{\sqrt{N/\rho}}$$

diameter d , velocity u , stresses S & N , density ρ



fluidity η , length scale ζ , friction μ

$$\mu = \frac{du/dr}{\eta}$$

$$\nabla^2 \eta = \frac{1}{\zeta^2} (\eta - \eta_{local})$$

non-local

$$\zeta = A \frac{d}{[\mu - \mu_s]^{1/2}}$$

Karen fits parameters A , μ_s and the function f to data

Collaboration?

Prabhu Nott and Karen Daniels

J. Fluid Mech. (2020), vol. 888, R3, doi:10.1017/jfm.2020.62




JFM RAPIDS
journals.cambridge.org/rapids

A non-local constitutive model for slow granular flow that incorporates dilatancy

Peter Varun Dsouza¹ and Prabhu R. Nott^{1,†}

¹Department of Chemical Engineering, Indian Institute of Science, Bangalore 560 012, India




(Received 5 November 2019; revised 10 February 2020; accepted 16 January 2020)



What we learned

heralding the birth of digital twins

Kit Windows-Yule
and Jonathan Seville




Should the PIs develop a new set of DEM
standard operating procedures?

What we learned

kinetic energy and mixing

Indresan Govender

The power of unique instrumentation



Adopt linearized local rheology of Jop, et al

$$\tau_{xz} = \mu_0 \sigma + \chi D \dot{\gamma}_{xz} \sqrt{\rho \sigma}$$

solve governing equations

assume that mixing is correlated with local kinetic energy



derive a dimensionless number for mixing

$$\hat{\omega} = \frac{\omega R^{9/8}}{\sqrt{g_{\perp}} (\chi D)^{3/4}} \left(\frac{L}{\mu W} \right)^{1/8}$$

What we learned

additives in continuous milling and classification

Arno Kwade's group




Trade-off of better flowability: less residence time in continuous ball milling
⇒ particles run to the exit...

Forward look:

recruit scholars with wide scientific bandwidth

gas-solid flows, role of cohesion



Olivier Desjardins

also Jesse Capecelatro (Michigan), Rodney Fox (Iowa State)

Sprays: X-ray vs high-fidelity simulations of atomization



Olivier Desjardins leads a group with Daniel Bodony (Illinois), Ted Heindel (Iowa State), Balachandar (Florida), Alberto Aliseda (U. Washington)

	Time-averaged EPL from LES (Cornell)	Instantaneous image from LES (Cornell)	Instantaneous light attenuation image (UW)	White beam X-ray image (ISU/UW)	Time-averaged EPL from focused beam X-ray (ISU/UW)
$Re_g = 16,700$					
$Re_g = 36,600$					

Validation against X-ray imaging at Argonne (ISU & UW)



Suggested scientists

Alban Sauret (UCSB): particle suspensions, capillarity, dip coating, granular accretion.

Heather Emady (ASU): particle characterization, capillarity, DEM.

Heinrich Jaeger (Chicago): particle charging, granular impacts, dense suspensions.

Farhang Radjai (Montpellier): simulations, force chains, cohesion, granular theory.

Alexandre Valance (Rennes): experiments and DEM on inclined flows.

Atieh Moridi (Cornell): thin flow and rapid prototyping.

Roberto Zenit (Brown): capillary interactions.

Paul Umbanhowar (Northwestern): granular physics.

Axelle Hamon (Rennes): experiments on particle forces and localization.

Elisabeth Guazzelli (Paris-Diderot): granular suspensions.

Anthony Thornton (Twente): granular segregation.