

Clustering in Cohesive Granular Matter


Jean-Christophe Géminard

Laboratoire de Physique

Ecole Normale Supérieure de Lyon / CNRS / Université Claude Bernard
Université de Lyon

- F. Melo, H. Alarcón, J. Contreras, G. Lagubeau (NLPLAB, USACH, Chile).
- F. Tapia, P. Lidon, L. Champougny (L3, ENS-Lyon).





Content

Fracture experiments

- setup
- results
- mechanism

Cohesion

- characterization techniques
- dependence on grain size and relative humidity
- discussion

Clustering

- additional evidence
- “direct” observation

Content

Fracture experiments

- **setup**
- **results**
- **mechanism**


Cohesion

characterization techniques
dependence on grain size and relative humidity
discussion


Clustering

- additional evidence
- “direct” observation

Setup





Setup





Setup

grazing light source






Setup




Results

Thickness





$$\lambda \propto h$$



Results


Grain size




λ does not depend on d .

Results


Relative humidity



λ increases with R_H .





Mechanism




Liquid bridge

Mechanism




Liquid bridge


Mechanism




Liquid bridge



Mechanism




$$\sigma_{xx} = \sigma_s(1 - u_{xx}/\theta_m)$$




$$\theta \equiv u_{xx}$$


Mechanism




$$\sigma_{xx} = \sigma_s(1 - u_{xx}/\theta_m)$$





Mechanism




$$\sigma_{xx} = \sigma_s(1 - u_{xx}/\theta_m)$$



Mechanism




Mechanism



Modulation of the stretch at the free surface \longrightarrow shear in the thickness

$$\sigma_{xx} = \sigma_s(1 - u_{xx}/\theta_m)$$



Mechanism

$$E = \sigma_s \left(u_{xx} - \frac{u_{xx}^2}{2\theta_m} \right) + \frac{1}{2} G u_{xz}^2$$


$$u_x = \theta x + f(z) \sin(kx)$$

$$u_{xx} + u_{zz} = 0$$

$$\frac{\partial}{\partial x} \left[\frac{\delta E}{\delta u_{xx}} \right] + \frac{\partial}{\partial z} \left[\frac{\delta E}{\delta u_{xz}} \right] = 0$$

$$\lambda \simeq 4\sqrt{2\sigma_s/G\theta_m h}$$

$$\sigma_{xx} = \sigma_s(1 - u_{xx}/\theta_m)$$



Content

Fracture experiments
setup
results
mechanism


Cohesion

- **characterization techniques**
- **dependence on grain size and relative humidity**
- **interpretation**



Clustering

- additional evidence
- “direct” observation



Tensile stress





Tensile stress





Tensile stress




Tensile stress



Critical strain




Critical strain



$$\delta \approx d^2 \sigma_s / \gamma_f$$

$$\gamma_f \approx 10 \text{ mJ/m}^2$$




Critical strain

$$\sigma_s \ll \pi \gamma / d$$


δ is almost independent of the particle size

roughness is playing an important role







d (μm)	0–45	53–75	105–125	150–200
l_R (nm)	70	50	100	70
l_W (nm)	270	365	680	460



Shear modulus




Shear modulus



Shear modulus



Shear modulus




$$F_s + N_n = J A_r$$

$$F_{el} \approx E A_r \Delta\delta / l_R$$



$$E_{eff} \propto (F_{el}/d^2)/(\Delta\delta/d)$$

$$G \approx \frac{Ed}{6Jl_R}(\sigma_s + P_n)$$



$$E/J \approx 40$$

Discussion





$$\lambda \simeq 4\sqrt{2\sigma_s/G\theta_m h}$$

$$\theta_m \approx \delta / L_c$$

$$L_c \approx \alpha_s d / 2$$

Discussion



$$\lambda \simeq 4\sqrt{6J\alpha_s/Eh}$$

$$\alpha_s \approx 1 + \sigma_s d^2 / \beta l_R$$

$$\beta = (0.44 \pm 0.03) \text{ mJ/m}^2$$

cluster size ranges from d to $10d$

Content

Fracture experiments

setup
results
mechanism


Cohesion

characterization techniques
dependence on grain size and relative humidity
discussion



Clustering

- additional evidence
- “direct” observation


Silo discharge




Silo discharge





Silo discharge



Constant flow rate





Silo discharge



$$Q = A \rho g^{\frac{1}{2}} (D - k d)^{\frac{5}{2}}$$

Beverloo law

Silo discharge




$$Q = A \rho g^{\frac{1}{2}} (D - k d)^{\frac{5}{2}}$$


Beverloo law

The cohesion leads to an **increase** in the effective grains size



« direct » observation




« direct » observation





« direct » observation








« direct » observation




« direct » observation



« direct » observation



« direct » observation



Conclusions

- Detailed analysis of crack patterns reveals clustering
- The analysis also points out the role played by roughness
- Clusters are also attested by the fracture path
- Even for 'simple' grains, we miss a precise theoretical description of the mechanical properties of the material
- Generalization to other physical origins of cohesion ?